

Quality
MADE IN
Germany



2021/22


PRODUCT CATALOG

.....
reinforced swimming pool membranes
natural pool and swimming pond membranes
accessories for professional installation

www.elbtal-plastics.de | www.ELBEpools.com

ELBE[®]

POOL SURFACE | MADE IN GERMANY



ELBE Pool Surface®
.....
Beauty, that never fades





index

reinforced swimming pool membranes

elite® elite® Non-Slip	4
PEARL	6
ISLAND DREAMS	8
Royal	10
SUPRA	11
Classic	12
Non-Slip	13
ULTIMATE BORDER™	14
ELBE Pool Surface® – performance guide	15

natural pool and swimming pond membranes

Natural PEARL	17
Natural SUPRA	18
Natural Classic	19
Natural Classic Non-Slip	19
ELBE Natural Surface® – performance guide	20
general information for care and maintenance	21

accessories


liquid PVC	22
bottle for liquid PVC	22
coated metal sheets and profiles	22
mounting parts / fixing parts	23
ULTIMATE BORDER™ accessories	23

information

training center	24
marketing material and samples	26

THE FUTURE
IN YOUR POOL TODAY.

ELITE



WARRANTY
15
YEARS
WATERTIGHTNESS

WARRANTY
5
YEARS
CHLORINE
RESISTANCE

WARRANTY
5
YEARS
STAIN
RESISTANCE


KIDS
FRIENDLY
EN 71-3


LOWEST
FUME EMISSION


FORMALDE
HYDRA

*See our warranty and water treatment guides.

reinforced swimming pool membrane with special surface protection – phthalate free

Thanks to its unique formula and superior surface properties, elite® offers the best available anti-stain resistance, typically caused by environmental influences (e.g. cosmetics and sun cream) over time. This phthalate free pool membrane not only scores with an exclusive protection against stains along the waterline, elite® impresses above all with its extreme UV and color resistance, in addition to an easy cleaning surface.

EXTREME UV resistance | **EXTREME chlorine resistance** | **EXTREME stain resistance** | **EXTREMELY easy to weld**
EXTREMELY easy to clean | **phthalate free**

elite®:	thickness	1.5 mm	roll length	25 m	width	1.65 m 2.00 m	packing	8 rolls per pallet
elite® Non-Slip:	thickness	1.9 mm	roll length	10 m	width	1.65 m	packing	15 rolls per pallet



elite® Deep Sea 603
width 1.65 m 2.00 m Non-Slip
item no. 2001068 2001119 2001076



elite® Sand Beach 179
width 1.65 m 2.00 m Non-Slip
item no. 2001070 2001120 2001078



elite® Blue Sky 602
width 1.65 m 2.00 m Non-Slip
item no. 2001069 2001118 2001077



elite® Arctic White 180
width 1.65 m 2.00 m Non-Slip
item no. 2001071 2001117 2001079



elite® Grey Rock 798
width 1.65 m 2.00 m Non-Slip
item no. 2001073 2001121 2001080



elite® Black Stone 799
width 1.65 m 2.00 m Non-Slip
item no. 2001122 2001123 2001124

THE PEARL
OF SWIMMING POOL
MEMBRANES.

PEARL



WARRANTY
15
YEARS
WATERTIGHTNESS


KIDS
FRIENDLY
✓ EN 71-3


LOWEST
FUME EMISSION



reinforced swimming pool membrane with special coated surface and unique, light effect printing

With its extraordinary reflective properties, PEARL turns any pool into a breathtaking glow. The magical printed surface creates a play of light of a special kind. Not only the design is convincing: PEARL combines excellent reflection appearance with a special coated surface protection against stains and discoloration.

amazing reflection effect | UV and chlorine resistance | anti stain effect | easy to clean

thickness **1.6 mm** roll length **25 m** width **1.65 m** packing **8 rolls per pallet**



PEARL Black 920/21
item no. 2000776



PEARL Blue 920/22
item no. 2000777




PEARL White 920/23
item no. 2000787



PEARL Sand 920/24
item no. 2000984




PEARL Silver Lagoon 1123/03
item no. 2000939



PEARL Silver Black 1123/05
item no. 2001007

stock range

YOUR BEACH
AT HOME.



reinforced swimming pool membrane with special structured and printed surface

Aruba, Fiji, Santorini or Maui – With every step on the swimming pool membranes of ISLAND DREAMS, you feel like you are at one of the most beautiful beaches in the world. ISLAND DREAMS convince with their beautiful designs and an exclusively embossed surface. Not only visually, an absolute highlight: ISLAND DREAMS offers the highest possible safety on steps, slopes and in entrance areas thanks to their excellent anti-slip properties.

Thanks to its natural look, ISLAND DREAMS is also suitable for use as anti-slip membrane for swimming ponds and natural pools.

charming designs | special embossing surface | Non-Slip protection level C | UV and chlorine resistance | can be overlap welded
perfect use for beach entrance in pools as well as anti-slip membrane in swimming ponds and natural pools

thickness **2.0 mm** roll length **20 m** width **1.60 m** packing **6 rolls per pallet**



ISLAND Aruba 153
item no. 2001175



ISLAND Santorini 765
item no. 2001176



ISLAND Fiji 104
item no. 2001180



ISLAND Maui 809
item no. 2001174

stock range

FEEL LIKE
A KING.




reinforced pool membrane with 3D surface

Royal pleasure – every day again. Royal swimming pool membranes unite glamorous optic with excellent product properties. With their gorgeous designs and classy 3D marble surface, every pool comes out to be a majestic highlight.

luxurious marble optic | 3D surface | UV and chlorine resistance | easy to clean | can be overlap welded

thickness **1.8 mm** roll length **20 m** width **1.65 m** packing **8 rolls per pallet**



Royal Victoria 2064/2
item no. 2001193




Royal Elisabeth 2064/3
item no. 2001194



Royal Louis 2064/1
item no. 2001192

ATTENTION!
ASSORTMENT
CHANGE



stock range

*While stocks last only.


SUPRA

reinforced pool membrane with special coated surface

SUPRA reinforced pool membranes inspire with their high chlorine and UV stability, classic colors and beautiful designs. The special coated surface ensures an easy cleaning and offers an additional protection against stains and discoloration.

UV and chlorine resistance | anti stain effect | special surface | scratch resistant surface | easy to clean

thickness **1.5 mm** roll length **25 m** width **1.65 m | 2.00 m** packing **8 rolls per pallet**



SUPRA

SUPRA Sand 153

width 1.65 m 2.00 m
item no. 2000051 2000054



SUPRA Light Blue 687

width 1.65 m 2.00 m
item no. 2000052 2000053

SUPRA Adriatic Blue 604

width 1.65 m 2.00 m
item no. 2000410 2000409



SUPRA Light Grey 765

width 1.65 m 2.00 m
item no. 2000961 2001074

SUPRA Dark Grey 782

width 1.65 m 2.00 m
item no. 2000786 2000910



SUPRA White 104

width 1.65 m 2.00 m
item no. 2000049 2000048

SUPRA Blue Mosaic 1123/01

width 1.65 m
item no. 2001177



SUPRA Grey Mosaic 1123/04

width 1.65 m
item no. 2001190

SUPRA Blue Marble 920/20

width 1.65 m
item no. 2001191



SUPRA Azur Mosaic 2062/1

width 1.65 m
item no. 2001195


stock range

Classic

reinforced pool membrane

Extremely tear-resistant and durable: Classic swimming pool membranes impress with their quality and guarantees pleasant bathing comfort. Thanks to the wide range of colors, there are no limits to your imagination. Classic swimming pool membranes can be individually combined with each other to create an impressive look in every swimming pool.

UV and chlorine resistance | anti stain effect | scratch resistant surface | easy to clean



thickness **1.5 mm** roll length **25 m** width **1.65 m | 2.00 m** packing **8 rolls per pallet**

Classic Sand 153

width 1.65 m 2.00 m
item no. 2000405 2000406



Classic Light Blue 687

width 1.65 m 2.00 m
item no. 2000403 2000404



Classic Adriatic Blue 604

width 1.65 m 2.00 m
item no. 2000061 2000063



Classic Turquoise 500

width 1.65 m 2.00 m
item no. 2000057 2000058



Classic Light Grey 765

width 1.65 m 2.00 m
item no. 2000073 2000072



Classic Dark Grey 782

width 1.65 m 2.00 m
item no. 2000529 2000528



Classic Black 809

width 1.65 m 2.00 m
item no. 2000579 -




Classic White 104

width 1.65 m 2.00 m
item no. 2000045 2000047



stock range

Non-Slip



reinforced Non-Slip pool membrane

No sliding. No slipping. The special structured surface of Classic Non-Slip swimming pool membranes provides a high degree on steps, stairs and children's pools. The unique embossing always allows a safe hold. It also makes sitting or walking in the swimming pool comfortable. Thanks to the wide range of colors, individual accents can be created in every swimming pool.

UV and chlorine resistance | anti stain effect | scratch resistant surface | easy to clean

thickness **1.9 mm** roll length **10 m** width **1.65 m** packing **15 rolls per pallet**

Classic

Classic Non-Slip Sand 153
item no. 2000766



Classic Non-Slip Light Blue 687
item no. 2000768

Classic Non-Slip Adriatic Blue 604
item no. 2000772



Classic Non-Slip Turquoise 500
item no. 2000769

Classic Non-Slip Light Grey 765
item no. 2000767



Classic Non-Slip Dark Grey 782
item no. 2000771

Classic Non-Slip Black 809
item no. 2000770



Classic Non-Slip White 104
item no. 2000765

SUPRA

SUPRA Non-Slip Blue Mosaic 1123/01
item no. 2001239



stock range

ALWAYS A
BEAUTIFUL WATERLINE.



ULTIMATE BORDER™

Waterline Protection.

pool border

With ULTIMATE BORDER™, your waterline is always beautiful. Equipped with an innovative surface, this pool border offers no adhesion to the most stubborn dirt and discoloration along the waterline. Due to the worldwide patented shield on its surface, ULTIMATE BORDER™ convinces with ultimate stain and scratch resistance as well as a child-easy cleaning.*

ULTIMATE chlorine resistance | **ULTIMATE** stain resistance | **ULTIMATE** scratch resistance | **ULTIMATE** »easy to clean effect«

thickness **1.2 mm**

roll length **25 m**

height **26 cm | Blue Surf 27.5 cm**

packing **1 roll per carton**



ULTIMATE White 104
item no. 2100406



ULTIMATE Sand 153
item no. 2100404



ULTIMATE Light Blue 687
item no. 2100405



ULTIMATE Light Grey 765
item no. 2100407



ULTIMATE Blue Mosaic
item no. 2100398



ULTIMATE Terracotta Mosaic
item no. 2100399



ULTIMATE Blue Surf
item no. 2100408








*See our warranty and water treatment guides.




performance guide

PRODUCT FEATURES	 elite Superior pools.	 PEARL	 ISLAND DREAMS Your beach at home.	 Royal Luxury pools.	SUPRA	SUPRA print	Classic	 ULTIMATE BORDER Welding Protection.
------------------	--	---	--	--	-------	----------------	---------	---





TECHNICAL FEATURES

approved for public pools (KSW) 	✓ best option		✓		✓		✓	
manufactured according to EN 15836-2	✓	✓	✓	✓	✓	✓	✓	
UV resistance 	++++	+++	+++	+++	+++	+++	++	+++++
chlorine resistance 	++++	++	++	++	++	++	+	+++++
scratch resistance 	+++	++	++	++	++	+++	+	+++++
Non-Slip 	✓		✓				✓	

HEALTH AND ENVIRONMENT

EN 71-3 – kidsfriendly 	✓	✓	✓	✓	✓	✓	✓	
phthalate free– baby and kidsfriendly 	✓							
lowest fume emission during welding 	✓	✓	✓	✓	✓	✓	✓	✓

LOOK AND CLEANING

surface coating easy to clean 	++++	++	++	++	++	++	+	+++++
anti stain effect 	++++	++	++	++	++	++	+	+++++
printed designs 		✓	✓	✓		✓		✓
3D effect structure 			✓	✓				

WARRANTIES


permissible water temperature	35 °C	33 °C	33 °C	33 °C	33 °C	33 °C	32 °C	35 °C
warranty watertightness	15 years	15 years	15 years	15 years	15 years	15 years	15 years	
warranty stain resistance	5 years							5 years
warranty chlorine resistance	5 years							5 years

Please refer to the technical data sheets for detailed information on specific item.

CREATE YOUR
OWN PARADISE IN
YOUR GARDEN.



NATURAL SURFACE | MADE IN GERMANY



© www.stawy-kapielowe.pl

- WARRANTY

15 YEARS

WATERTIGHTNESS
- KIDS FRIENDLY

EN 71-3
- LOWEST FUME EMISSION
- LESS BIOFILM
- AMAZING PEARLESCENT EFFECT

Natural PEARL

reinforced swimming pond membrane with special coated surface and unique printing

Natural PEARL swimming pond membranes will brighten up any swimming pond: Whether organic pool, swimming pond or natural pool – Natural PEARL is excellently made for use in near-natural bathing waters and offers a swimming experience close to nature. Excellent reflective properties turns every natural pool shine in a particularly natural light. Thanks to its unique surface, Natural PEARL is easy to clean. Removing biofilm thus is child's play. Natural PEARL not only puts up a pretty good show: high UV resistance, preventing premature ageing of the pond membrane and easy installation round off Natural PEARL's features completely.

amazing reflection effect | special surface | UV resistance | biocide-free | easy to weld | easy to clean | reinforced

thickness **1.6 mm** roll length **25 m** width **1.65 m** packing **8 rolls per pallet**

Dark Green 578
item no. 📦 2001141




Slate Grey 702
item no. 📦 2001140



📦 stock range

Please note: Our natural pool and swimming pond membranes are only suitable for pools, that operated without the use of chlorine disinfection.



Natural SUPRA

reinforced swimming pond membrane with special coated surface

Natural SUPRA reinforced swimming pond membranes makes swimming feel like in the nature. Thanks to the special surface, pollution and discoloration, as well as elaborate cleaning, belong to the past. Removing biofilm is child's play. In addition, the surface finish prevents premature ageing and thus increases the lifespan of the pond membrane. Extremely durable and highly resistant to all kinds of stresses, Natural SUPRA not only impresses with its excellent product properties as well as offering a natural swimming feeling.

special surface | biocide-free | easy to weld | easy to clean | reinforced

thickness **1.5 mm** roll length **25 m** width **2.00 m** packing **8 rolls per pallet**

Dark Green 578
item no. 2001139



Slate Grey 702
item no. 2001137



stock range

Please note: Our natural pool and swimming pond membranes are only suitable for pools, that operated without the use of chlorine disinfection.

Natural Classic

reinforced swimming pond membrane

Natural Classic is a reinforced swimming pond membrane for lining swimming ponds and natural pools. The membrane is extremely durable and highly resistant to all loads. Produced from the purest raw materials, Natural Classic is, together with Natural PEARL and Natural SUPRA, the health-friendliest swimming pond membrane on the market. As well, they exceed the EN 71-3 standard on the plastics used in the toy industry. Natural Classic also scores with a convincing health aspect when it comes to installing: installers breathe in far fewer emissions than with competing products due to the low build-up of toxic gases when welding.

biocide-free | easy to weld | easy to clean | reinforced

thickness **1.5 mm** roll length **25 m** width **2.00 m** packing **12 rolls per pallet**

Green/Black 546/801

item no.  2000366



NATURAL CLASSIC

 stock range

Please note: Our natural pool and swimming pond membranes are only suitable for pools, that operated without the use of chlorine disinfection.

Natural Classic Non-Slip

reinforced Non-Slip membrane

In addition to pretty designs, non-slip protection also has an important part to play in natural pools and swimming ponds. Natural Classic Non-Slip membrane ensures maximum slip safety on steps, foot baths and other areas around natural pools. Manufactured in accordance with the standards of EN 71-3, this slip-resistant classified pond membrane with special embossing always allows a safe hold. It also makes sitting or walking comfortable. The designs from ISLAND DREAMS create a great natural feeling in non-slip areas and are the visual highlight in every swimming pond (see page 9).

biocide-free | easy to weld | easy to clean | reinforced

thickness **1.9 mm** roll length **10 m** width **1.65 m** packing **15 rolls per pallet**

Green/Black 546/801

item no. 2000920



NATURAL CLASSIC NON-SLIP

*While stocks last only.

Please note: Our natural pool and swimming pond membranes are only suitable for pools, that operated without the use of chlorine disinfection.

performance guide

PRODUCT FEATURES		Natural PEARL	Natural SUPRA	Natural Classic
APPLICATIONS				
swimming ponds, natural ponds		✓	✓	✓
(artificial) ponds and lakes		✓	✓	✓
irrigation basins, fire protection ponds, rainwater retention reservoirs				✓
TECHNICAL FEATURES				
reinforced (high strength and dimensional stability)		✓	✓	✓
coated surface		✓	✓	
UV resistance		✓		
cold and weather resistance		✓	✓	✓
Non-Slip				✓
HEALTH AND ENVIRONMENT				
EN 71-3 – kidsfriendly		✓	✓	✓
non-toxic for fish and plants		✓	✓	✓
lowest fume emission during welding		+++	+++	+++
SURFACE AND CLEANING				
surface easy to clean		+++	+++	+
anti stain effect		+++	+++	+
less biofilm		✓	✓	
printed designs		✓		
WARRANTIES				
warranty watertightness		15 years	15 years	10 years

Please note: Our natural pool and swimming pond membranes are only suitable for pools, that operated without the use of chlorine disinfection.

general information for care and maintenance

- **ELBE Natural Surface**[®] swimming pond membranes are suitable for the natural treatment of water, for example by filtering
- regular care, for example by removing leaves and pollen, prevents the water from becoming contaminated
- before entering the swimming pond, remove make-up and sun cream under the shower (protects the biological balance in the water)
- easy and environmentally friendly cleaning without chlorine-based products
- cleaning with soft cloths or sponges (no hard brushes or power washers)
- simple to keep over winter, for example with net to catch leaves

More tips for care? You will find further information in our **product datasheets**. The person applying is responsible for the suitable use and handling of our products. For more detailed information we recommend the guidelines of the 'Forschungsgesellschaft Landschaftsentwicklung Landschaftsbau e.V.': Guidelines for planning, constructing, maintaining and operating open-air pools with biological water treatment (swimming and bathing ponds); guidance for planning, constructing and maintaining private swimming and bathing ponds.

CREATE YOUR OWN **PARADISE** IN YOUR GARDEN

.....
ELBE NATURAL SURFACE[®]
NATURAL- AND SWIMMING POND LINERS

**RESISTANT AND
HEALTH-FRIENDLY**

LESS BIOFILM
INNOVATIVE AND HIGH
PROTECTION SURFACE

EASY TO CLEAN
SPECIAL SURFACE FINISH

**FULFILLS THE
STANDARDS EN 71-3**



accessories

For professional installation of our swimming pool, natural pool and swimming pond membranes

ELBE Pool Surface® swimming pool membranes are suitable for lining pools as well as indoor and outdoor pools in any pool shape and size. This applies to new constructions and renovations of existing swimming pools made of most different materials, like concrete, wood, steel, tiles, aluminum or polyester. **ELBE Natural Surface®** geomembranes are the perfect solution for lining natural pools, swimming ponds and pond constructions. They can be installed quick and easy on every stable underground. However, the most important thing for a perfect installation is the suitable accessories. Only in this way the lining of a swimming pool or swimming pond can succeed perfectly.

ELBE liquid PVC NSM+

(Delivery only in full packing units.)

content **950 ml per can** packing **6 cans per box**



We recommend applying of **ELBE liquid PVC NSM+** to seal the seam transitions of our reinforced swimming pool membranes, natural pool and swimming pond membranes. The liquid PVC does not replace the welding of the swimming pool membrane with hot air. It helps to optical upgrading the appearance of the welding seam as well. Due to the liquid PVC, dirt deposits on the welding seam will be prevented. The viscosity can be reform by stirring and adding acetone.

suitable for: Classic, SUPRA, ISLAND DREAMS, PEARL, Royal

color	Sand 153	Light Blue 687	Adriatic Blue 604	Navy Blue 620	Turquoise 500	Lagoon 623
item no.	2100740	2100744	2100742	2100750	2100748	2100751
color	Light Grey 765	Dark Grey 782	Black 809	White 104	Transparent 027	
item no.	2100741	2100746	2100747	2100743	2100745	

suitable for: elite®

color	Arctic White 180	Sand Beach 179	Blue Sky 602	Deep Sea 603	Grey Rock 798	Black Stone 799
item no.	2100757	2100756	2100755	2100759	2100754	2100758

suitable for: Natural PEARL, Natural SUPRA, Natural Classic

color	Slate Grey 702	Dark Green 578	Green 546
item no.	2100752	2100753	2100749

bottle for liquid PVC

content **500 ml** packing **from 1 piece**

item no. 2100085



coated metal sheets and profiles

thickness **1.2 mm**



	sheet	sheet	sheet stainless steel V2A	exterior angle	interior angle	strip
color	blue	grey	blue	blue	blue	blue
measurement	2000 × 1000 mm	2000 × 1000 mm	2000 × 1000 mm	70 × 30 × 2000 mm	70 × 30 × 2000 mm	70 × 2000 mm
packing	1 pallet = 30 pcs 4 pallets = 120 pcs	1 pallet = 30 pcs 4 pallets = 120 pcs	1 pallet = 30 pcs 4 pallets = 120 pcs	10 pcs 500 pcs	10 pcs 500 pcs	10 pcs 500 pcs
item no.	2100063	2100078	2100346	2100068	2100067	2100071

accessories

For professional installation of our swimming pool, natural pool and swimming pond membranes

mounting parts / fixing parts

fastener rivet short

measurement 4.8 mm × 20.3 mm
 packing 12 / 48 packs per box
 (200 pcs per pack)
 item no. 2100275



fastener rivet long

measurement 4.8 mm × 35 mm
 packing 12 packs per box
 (100 pcs per pack)
 item no. 2100382

rigid plastic profile white, vertical

length 2 m
 packing from 1 piece
 item no. 2100286



rigid plastic profile white, horizontal

length 2 m
 packing from 1 piece
 item no. 2100387

liner locking strip white

measurement 30 m
 packing 10 rolls per box
 item no. 2100285



welding stripe 1.5 mm

measurement 9 mm × 25 m
 packing 10 rolls per box
 item no. 2100352

polyester fleece 300 g, 1.5 m × 50 m DIN 4102 B2 (drillable), white

measurement 300 g/m² (1.5 mm)
 packing from 6 rolls
 item no. 2100358



polyester fleece 300 g, 2 m × 50 m DIN 4102 B2 (drillable), white

measurement 300 g/m² (1.5 mm)
 packing from 6 rolls
 item no. 2100061

fleece adhesive

content 5 kg
 packing packing unit
 item no. 2100397



polyester fleece 500 g, 2 m × 50 m DIN 4102 B2 (drillable), white

measurement 500 g/m² (3.0 mm)
 packing from 5 rolls
 item no. 2100062

contact glue Köralit F 143

content 700 g
 packing 6 pieces per pack
 item no. 2100042



cold welding agent THF

content 1000 ml
 packing 6 pieces per pack
 item no. 2100039

ULTIMATE BORDER™ fixing tape*

measurement 50 mm × 50 m
 packing from 1 pcs / 24 rolls per box
 item no. 2100419



marking lines black

measurement 1.5 mm × 25 m × 25 cm
 packing 1 piece per box
 item no. 2100271

*Please note our installation manual and hints regarding the installation of ULTIMATE BORDER™.

training center

COMPACT & EFFECTIVE.
EVERYTHING YOU NEED TO KNOW ABOUT A
PROFESSIONAL INSTALLATION IN ONE COURSE.

Premium quality requires first-class installation

Becoming a professional is learning from professionals. We offer corresponding training courses in our state-of-the-art training center in Coswig. Here, you or your associates will learn all the necessary skills and knowledge for the professional installation of our reinforced swimming pool membranes from our installation experts. Collect useful impressions during our factory tour, and enjoy the accompanied fringe program. To allow time for intensive learning and a lasting training effect, the number of participants is limited to 8 persons per course. We confirm your successful participation at the end with an official manufacturer's certificate.

schedule

day 1

arrival until 8.00 am	individual arrival of the participants and greeting, presenting the schedule
8.30 am	theoretical instruction: presentation Elbtal Plastics GmbH & Co. KG, product presentation ELBE Pool Surface® reinforced swimming pool membranes and accessories basic operations when installing, factory tour
11.15 am	practical instruction: welding equipment and required tools, simple seam, T-seam
1.00 pm	lunch break
2.00 pm – 5.30 pm	practical instruction: corners

day 2

8.00 am	theoretical instruction: straight stairs, installation of the fittings
9.30 am	practical instruction: straight stairs
1.00 pm	lunch break
2.00 pm – 5.30 pm	practical instruction: straight stairs, Non-Slip, installation of the fittings with the membrane

day 3

8.00 am	practical instruction: finalization straight stairs, clarification of open issues
10.00 am	theoretical instruction: roman steps, free form pool
1.00 pm	lunch break
2.00 pm – 5.30 pm	practical instruction: crossover wall to roman steps

day 4

8.00 am	practical instruction: roman steps
10.00 am	theoretical instruction: welding technique T-seam, overflow gutter, professional installation of ISLAND DREAMS and Royal reinforced pool membranes
1.00 pm	lunch break
2.00 pm	practical instruction: welding technique T-seam, overlapping welding embossed swimming pool membranes
3.30 pm	answering open questions, certificate handover
4.00 pm	approval / end of course

More information and dates on:
www.ELBEpools.com
Please send your registrations to:
info@elbtal-plastics.de
If you have questions, please
call us: +49 3523 5330-201

The following materials
are to be brought along:

- own work clothes
- safety gloves
- and safety shoes,
- possibly knee pads

ELBE Pool Surface® training course

general information

course duration: 4 days
Monday until Thursday
8.00 am until ca. 5.30 pm

max. number of
participants: 8 persons per course
language: German, English

location

Elbtal Plastics GmbH & Co. KG
Grenzstr. 9 | 01640 Coswig | Germany

phone: +49 3523 5330-0
telefax: +49 3523 5330-222
e-mail: info@elbtal-plastics.de



marketing material and samples

Do you have any questions that we may not have answered yet? Then we will be happy to make up for it! Let us know which topic you need information on. You will find the right contact person on: www.elbepools.com/contact/

ATTENTION: The information on the available languages for the various brochures and marketing materials refers to **digital versions only**. Languages available in the various print versions are by request. Would you like to know in which languages printed brochures are available? Then please contact us.

catalogs and brochures



product catalog #1370

Shows our entire product ranges of **ELBE Pool Surface®** and **ELBE Natural Surface®**. Includes short descriptions, order numbers and packing.

format: DIN A4
languages: DE | EN | FR | IT | PL | RU



consumer brochure #1363

Introduction to the residential use of **ELBE Pool Surface®**.
Only digitally available.

format: DIN A5
languages: DE | EN | FR | ES | PL | RU



commercial brochure #1360

Introduction to the residential use of **ELBE Pool Surface®**.
Only digitally available.

format: DIN A5
languages: DE | EN

technical brochures



installation manual #1371

Step-by-step explanation on installation of the **ELBE Pool Surface®** products with text and photos.

format: DIN A4
languages: DE | EN



installation manual ULTIMATE BORDER™ #1406

Step-by-step explanation on installation of exclusive **ULTIMATE BORDER™** with text and photos.

format: DIN A4
languages: DE | EN | IT



maintenance instructions #1364

Details and instructions for the correct maintenance of the pool with description, text and photos.

format: DIN A6
languages: DE | EN | ES | FR | IT | RU



elite® #1365

Shows our exclusive elite® range with photos and samples. It shows detailed benefits and arguments of this exclusive material.

format: DIN A4
languages: DE | EN | ES | FR | IT | RU



Royal #1409

Shows our Royal range with photos and samples.

format: DIN A4
languages: no text



ISLAND DREAMS #1366

Shows our exclusive textured ISLAND DREAMS range with photos and samples.

format: DIN A4
languages: no text



ULTIMATE BORDER™ #1373

Shows detailed benefits and arguments of this exclusive material with photos and samples.

format: DIN A4
languages: DE | EN | ES | FR | IT | RU



PEARL #1408

Shows our PEARL range with photos and samples.

format: DIN A4
languages: no text



Classic #1369

SUPRA #1368

membrane collections

fish: 9,5 x 15 cm
languages: EN



product catalog #1414

Shows our entire product ranges of ELBE Natural Surface®. Includes short descriptions, order numbers and packing.

format: DIN A4
languages: DE | EN | FR | PL



brochure #1415/16

Shows our range of natural pools and swimming pond membranes with photos and samples.

format: DIN A4
languages: DE | EN



membrane collection natural pool and swimming pond membranes

ELBE Natural Surface® #1367

fish: 9,5 x 15 cm
language: EN

WE ARE MEMBER OF



National Spa & Pool
Institute of South Africa



APP
Asociación de Profesionales de la Piscina, A.C.

