

2022/23 PRODUCT CATALOG

natural pool swimming pond pond construction




www.elbtal-plastics.com









ELBE Natural Surface®





index

natural pool and swimming pond membranes

EXCLUSIVE LINE	
Natural PEARL	4
Natural SUPRA	5
PREMIUM LINE	
Natural Classic	6
Natural Classic Non-Slip	6
BASIC LINE	
Natural Pond	7

accessories

liquid PVC	8
bottle for liquid PVC	8
coated metal sheets and profiles	8
protective fleece	9
mounting and fixing parts	9

information

product characteristics	10
general information about maintenance and servicing	11



Natural PEARL

reinforced membrane for swimming pools with unique reflections and special coated surface

Natural PEARL swimming pond membranes are the most efficient in their class: whether it is a biological pool, a swimming pond or a natural pool, the Natural PEARL membrane is perfectly suited for use in natural waters and offers a unique bathing experience immersed in nature. Thanks to their extraordinary reflective properties, Natural PEARL swimming pond membranes offer a natural shine. Thanks to a specific surface treatment, the Natural PEARL range is particularly easy to clean. Biofilm removal is easy. The Natural PEARL membrane not only impresses with its natural appearance: it also ensures high UV resistance, slowing down the premature aging of the membrane. And the ease of installation perfectly complements the exceptional properties of this reinforced membrane.

WARRANT

unique reflection effect | UV stabilized | biocide-free | easy to clean | easy to weld | reinforced

thickness	1.6 mm	roll length	25 m	width	1.65 m	package	8 rolls per pallet	
				an all			Chin.	
Dark	Green							Slate
ref. no	o. 🔁 2001141							ref. no

🗇 Available on stock.

Note: Our membranes for natural pools and swimming ponds are exclusively designed for the waterproofing of pools operating without a chlorine disinfection system.



Natural SUPRA

reinforced membrane with special coated surface

Natural SUPRA reinforced membrane guarantees the pleasure of an authentic swim in the middle of nature. This membrane has a special treatment that is easy to clean, and its specific surface finish protects against premature aging, thus increasing its lifespan.

UV stabilized | biocide-free | easy to weld | easy to clean | reinforced



Available on stock.

Note: Our membranes for natural pools and swimming ponds are exclusively designed for the waterproofing of pools operating without a chlorine disinfection system.



Natural Classic

reinforced pond membrane

Natural Classic is a reinforced membrane for coating swimming ponds or natural pools. This waterproofing membrane is particularly resistant to external influences and has an exceptional longevity. This reinforced membrane, tested according to EN 71-3 consists of ultra-pure raw materials, as well as Natural PEARL and Natural SUPRA, which are among the most health-friendly membranes on the natural swimming pool market. Natural Classic also stands out from a sanitary point of view, unlike other competing products, since it emits the lowest level of fume emission during welding, thus preserving the health of installers.

UV stabilized | biocide-free | easy to weld | easy to clean | reinforced



Natural Classic Non-Slip



Non-Slip reinforced membrane

In addition to their exceptional designs, the safety of steps in natural pools and swimming pools is a priority. The Non-Slip Natural Classic reinforced membrane ensures maximum access security, especially at stairs and various areas around the natural pool. Manufactured in accordance with regulations according to EN 71-3, the non-slip membrane not only offers comfort and a pleasant touch, but also guarantees the utmost safety, whether walking or sitting.

special embossing surface structure | UV stabilized | biocide-free | easy to weld | easy to clean | reinforced



* Only available while stocks last.





Natural Pond

hydraulic engineering and pond construction - also for filtered ponds and regeneration zones

Non-toxic to fish and plants and resistant to weather and cold, Natural Pond can be used flexibly in pond and water construction. This swimming pond liner is the perfect solution especially in filtered ponds or when designing regeneration areas. Natural Pond is not reinforced and available in different thicknesses and colors.

UV stabilized | free from heavy metals | easy to weld | easy to clean | without fabric

roll length	n 15/20 /	30 m	width 2.00 m	packing	16 / 20 / 35 rolls per palle	t
Gre	en					
ref. r 2001	no. 1250*	thickness 1.5 mm	roll length 15 m	package 16 rolls per palle	ət	
					*Available on request.	
Ant	hracite					
2	no. 2100302 2100303 2100299	thickness 0.5 mm 1.0 mm 1.5 mm	roll length 30 m 20 m 15 m	package 35 rolls per palk 20 rolls per palk 16 rolls per palk	et	

B	a	С	k	

ref. no.	thickness	roll length	package
2000608	2.0 mm	15 m	16 rolls per pallet




🔁 Available on stock.

Note: Our membranes for natural pools and swimming ponds are exclusively designed for the waterproofing of pools operating without a chlorine disinfection system.

accessories

accessories for professional installation

Our **ELBE Natural Surface**[®] membranes are ideal for waterproofing natural pools, swimming ponds and natural pools, easy and quick to install on any surface and support. Note, however, the importance of the right accessory during the installation, guaranteeing a perfect result.



*Available on request.

accessories

accessories for professional installation

protective fleece

polyester	fleece 300 g/m², 1.5 m × 50
DIN 4102 B2 (drillable), white
thickness	1.5 mm
package	6 rolls per pallet

2100358





polyester fleece 300 g/m², 2 m \times 50 m DIN 4102 B2 (drillable), white

thickness	1.5 mm
package	6 rolls per pallet
ref. no.	2100061

fleece adhesive

content package ref. no.

ref. no.

5 kg 1 unit 2100397



mounting and fixing parts

fastener rivet short

dimensions
package
content
ref. no.

4.8 mm × 20.3 mm 12 / 48 packs per box per 200 pcs 2100275





fastener rivet long

dimensions package content ref. no.

4.8 mm × 35 mm 12 packs per box per 100 pcs 2100382

contact glue Köralit F 143

content package ref. no. 700 g 6 pcs per pack 2100042





cold welding agent THF

content package ref. no.

1000 ml 6 pcs per pack 2100039

accessories for professional installation \mid 9

product characteristics

	Natural PEARL	Natural SUPRA	Natural Classic	Natural Pond
PRODUCT FEATURES	NATURAL EX	CLUSIVE LINE	Natural Premium line	NATURAL BASIC LINE
APPLICATIONS				
swimming ponds, natural ponds	✓	✓	✓	
(artifical) ponds and lakes		~	 	\checkmark
irrigation basins, fire protection ponds, rainwater retention reservoirs			~	v
ECHNICAL FEATURES				
reinforced (high strength and dimensional stability)	✓	 ✓ 	✓	
coated surface	✓	 		
UV stability	v	~	~	v
cold and weather resistance	✓	 	~	v
Non-Slip			~	
HEALTH AND ENVIRONMENT	I	1	11	
EN 71-3 – kidsfriendly		~	✓	v
non-toxic for fish and plants	•	~	 	v
lowest fume emission during welding	+++	+++	+++	++
SURFACE AND CLEANING				
surface easy to clean	+++	+++	+	+
stain resistant	+++	+++	+	
less biofilm	v	~		
printed designs	v (

warranty watertightness 15 years 15 years 10 years

Note: Our membranes for natural pools and swimming ponds are exclusively designed for the waterproofing of pools operating without a chlorine disinfection system.



General information about maintenance and servicing

- The membranes of natural pools and swimming pools of the **ELBE Natural Surface**[®] range are suitable for natural water treatment (by filtration for example).
- Regular maintenance preserves water quality (e.g., by sucking leaves and pollen).
- Before entering the pool, it is recommended to remove makeup and take a shower to get rid of any sunscreen (Preservation of the biological balance of the water.).
- Easy and environmentally friendly cleaning without chlorine-based products.
- Cleaning with soft cloths or sponges (do not use hard brushes or pressure washers!).
- Easy winter maintenance (e.g., with the installation of a net tarpaulin to retain the leaves)

More tips for servicing?

You will find further information in our product datasheets.

The proper use and treatment of our products is the responsibility of the installer. For further information, we recommend that you refer to the guidelines of the **"Research Society for Landscape Development and Landscape Construction e.V."**: recommendations and guidelines for the planning, construction, maintenance, and operation of outdoor swimming pools with biologically treated water (natural pools and swimming pools). WE ARE MEMBER OF





۲

Elbtal Plastics GmbH & Co. KG Grenzstr. 9 01640 Coswig | Germany (i) +49 3523 5330-0
 ii) +49 3523 5330-222
 ii) info@elbtal-plastics.de

www.elbtal-plastics.de

kap flexible films

A member of

rev. EN 11.22