











# ELBE Pool Surface®

Beauty, that never fades











### Printed reinforced membrane with 3D relief

In harmony with nature. Inspired by the colors, shapes and textures of a natural stone, the decorations of this membrane give the illusion of authentic rocky landscapes. The exclusive shades and patterns offer intense sensations of comfort, serenity, and warmth. The sophisticated textured 3D surface blends harmoniously into the natural environment of the pool and the unique visual rendering of this membrane combines perfectly with its excellent technical properties, for the purest pleasure of swimming.

Natural designs  $\mid$  3D surface  $\mid$  UV and chlorine resistance  $\mid$  Stain resistant  $\mid$  Easy to clean Perfect for head-to-head welding with our underlayer welding stripe (see page 23)

Thickness 1.8 mm Roll length 21 m Width 1.65 m Package 6 Rolls per pallet







Available in stock









### Reinforced membrane printed with 3D relief

Aruba, Fiji, Santorini, or Maui - from the ISLAND DREAMS range are inspired by the most beautiful beaches in the world. ISLAND DREAMS membranes impress with their natural look, the elegance of their design and their exclusive relief membrane. In addition to its visual assets, the ISLAND DREAMS range of membranes offers the greatest possible safety at the level of the steps, slopes, and entrance areas of the pool thanks to an exceptional 3D relief certified non-slip.

Unique designs | Special embossing surface | Non-Slip protection level C | UV and chlorine resistance | Stain resistant Easy to clean | Perfect for head-to-head welding with our underlayer welding stripe (see page 23)

Thickness 2.0 mm Width 1.60 m Roll length 20 m Package 6 Rolls per pallet



Ref. No. 💆 2001175







Ref. No. 💆 2001174







### Printed reinforced membrane with 3D relief marble effect

A touch of luxury. Royal membranes combine glamorous design and excellent technical properties. This superb 3D marbled surface offers luxury and refinement to every pool.

Luxurious marble effect | 3D surface | UV and chlorine resistance | Stain resistant | Easy to clean Perfect for head-to-head welding with our underlayer welding stripe (see page 23)

Thickness 1.8 mm Roll length 20 m Width 1.65 m Package 8 Rolls per pallet










<sup>\*</sup> Only available while stocks last





### Phthalate-free reinforced membrane with exclusive surface protection

Thanks to its unique formula and exceptional properties, elite® offers unique protection against stains that can be caused by external factors (cosmetics and sunscreens for example). The phthalate-free membrane not only offers optimal protection against dirt along the waterline, but also convinces with its extreme UV resistance and color durability, as well as its ease of cleaning.

EXTREME UV resistance | EXTREME chlorine resistance | EXTREME stain resistance | EXTREMELY easy to clean EXTREMELY easy to weld | Phthalate free

elite®: Thickness 1.5 mm Roll length 25 m Width 1.65 m | 2.00 m Package 8 Rolls per pallet elite® Non-Slip: Thickness 1.9 mm Roll length 10 m Width 1.65 m Package 15 Rolls per pallet







Ref. No. 🕏 2001068 💆 2001119 💆 2001076

Ref. No. 💆 2001069 💆 2001118 💆 2001077

Ref. No. 🕏 2001073 💆 2001121 💆 2001080





elite® Black Stone
Width 1.65 m 2.00 m Non-Slip

Ref. No.

2001122 2001123 2001124









### Reinforced membrane with specific surface finish and printing with unique pearlescent reflections

Thanks to its extraordinary reflective properties, PEARL radiates a unique brilliance in each pool – the sophisticated impression of the surface creates an exclusive play of light. This coating not only impresses with its design since PEARL combines an exceptional visual effect with a high-quality coating that guarantees protection against stains and fading.


### Pearlescent reflection effect | UV and chlorine resistance | Stain resistant | Easy to clean

Thickness 1.6 mm Roll length 25 m Width **1.65 m** Package 8 Rolls per pallet



**PEARL Black** 

Ref. No. 🔁 2000776 Recommended liquid PVC: Dark Grey



Ref. No. 💆 2000777 Recommended liquid PVC: Navy Blue



**PEARL White** 

Ref. No. 🔁 2000787 Recommended liquid PVC: White



**PEARL Sand** 

Ref. No. 🔁 2000984 Recommended liquid PVC: Sand



**PEARL Silver Lagoon** 

Ref. No. 🔁 2000939 Recommended liquid PVC: Lagoon



Ref. No. 💆 2001007 Recommended liquid PVC: Black



**PEARL Silver Moon** 

Ref. No. 🗇 2001245 Recommended liquid PVC: Dark Grey



Ref. No. 🔁 2001247

Recommended liquid PVC: White





### **SUPRA**







### Varnished reinforced membrane

SUPRA finishing membrane impress not only for its high stability against chlorine and UV, but also for its classic colors and harmonious designs. The high-quality coating also ensures easy cleaning and additional protection against stains and fading.

 $\ensuremath{\mathsf{UV}}$  and chlorine resistance | Stain resistant | Easy to clean

Thickness 1.5 mm Roll length 25 m Width 1.65 m | 2.00 m Package 8 Rolls per pallet







### **SUPRA Light Blue**

Width 1.65 m 2.00 m Ref. No. ☑ 2000052 ☑ 2000053

### **SUPRA Adriatic Blue**





### **SUPRA Light Grey**

Width 1.65 m 2.00 m Ref. No. ☑ 2000961 ☑ 2001074

### **SUPRA Dark Grey**





### **SUPRA White**

Width 1.65 m 2.00 m Ref. No. ☑ 2000049 ☑ 2000048

### **SUPRA Blue Mosaic**





### **SUPRA Grey Mosaic**

### **SUPRA Blue Marble**





### **SUPRA Azur Mosaic**

# Classic







### Ultra-resistant reinforced membrane

Extremely resistant to tearing and wear, Classic membrane stands out for its quality and offers long-lasting bathing comfort. Thanks to its wide variety of colors, imagination has no limits: Classic membranes can be combined individually with each other for personalization and a unique design in each pool.

### UV and chlorine resistance | Stain resistant | Easy to clean

Thickness 1.5 mm Roll length 25 m Width 1.65 m | 2.00 m Package 8 Rolls per pallet



Width 1.65 m 2.00 m Ref. No. 🕏 2000405 💆 2000406





### **Classic Light Blue**

Width 1.65 m 2.00 m Ref. No. 💆 2000403 💆 2000404

### Classic Adriatic Blue

Width 1.65 m 2.00 m Ref. No. 🕏 2000061 💆 2000063





### **Classic Turquoise**

Width 1.65 m 2.00 m Ref. No. 💆 2000057 💆 2000058

### **Classic Light Grey**

Width 1.65 m 2.00 m Ref. No. 🕏 2000073 💆 2000072





### **Classic Dark Grey**

Width 1.65 m 2.00 m Ref. No. 🕏 2000529 💆 2000528

### Classic Black

Width 1.65 m 2.00 m Ref. No. 🔁 2000579 \_





### **Classic White**

Width 1.65 m 2.00 m Ref. No. 🕏 2000045 🕏 2000047

Available in stock

# Non-Slip







### Non-slip reinforced membrane

No slipping. No slippage. The non-slip membrane meets high regulatory requirements to prevent slips or falls on stairs, children's paddling pools or gentle slopes in swimming pools. Its rice grain-shaped relief offers comfort and a pleasant touch, whether walking or sitting. The wide variety of colors ideally allows the customization of each pool.

### Classic

### Special embossing surface structure | UV and chlorine resistance | Easy to clean

Thickness 1.9 mm Roll length 10 m Width 1.65 m Package 15 Rolls per pallet

### Classic Non-Slip Sand

Ref. No. 💆 2000766





### Classic Non-Slip Light Blue

Ref. No. 💆 2000768

### Classic Non-Slip Adriatic Blue

Ref. No. 🕏 2000772





### Classic Non-Slip Turquoise

Ref. No. 💆 2000769

### Classic Non-Slip Light Grey

Ref. No. 💆 2000767





### Classic Non-Slip Dark Grey

Ref. No. 🔁 2000771

### Classic Non-Slip Black

Ref. No. 💆 2000770





### Classic Non-Slip White

Ref. No. 💆 2000765

### **SUPRA**

Special embossing surface structure  $\mid$  UV and chlorine resistance Stain resistant  $\mid$  Easy to clean

Thickness 2.1 mm Roll length 10 m

Width 1.65 m Package 15 Rolls per pallet



### SUPRA Non-Slip Blue Mosaic

Ref. No. 2001239
Recommended liquid PVC: White



# A WATERLINE **ALWAYS IMPECCABLE**







# ULTIMATEBORDE

### **Pool border**

With the ULTIMATE BORDER™ range, the waterline is a real eye-catcher. Equipped with an innovative surface treatment, this frieze will not offer any adhesion to dirt, even the most stubborn, avoiding any discoloration at the waterline. Thanks to its unique protective coating, ULTIMATE BORDER™ is characterized by optimal resistance to stains and scratches, and greatly facilitates cleaning.\*\*

ULTIMATE chlorine resistance | ULTIMATE stain resistance | ULTIMATE scratch reistance | ULTIMATE easy to clean effect

Waterline Protection.

Thickness 1.2 mm Roll length 25 m Height 26 cm | Blue Surf 27.5 cm

Package 1 Roll per carton



**ULTIMATE** White

Ref. No. 2100406



**ULTIMATE Sand** 

Ref. No. 2100404



**ULTIMATE Light Blue** 

Ref. No. 2100405



**ULTIMATE Light Grey** 

Ref. No. 2100407



**ULTIMATE Blue Mosaic** 

Ref. No. 2100398




**ULTIMATE Terracotta Mosaic ULTIMATE Blue Surf** 

Ref. No. 2100399




Ref. No. 2100408





<sup>\*\*</sup> See our condition guidelines





# **Natural PEARL**

### Reinforced membrane for swimming pools with unique reflections and special coated surface

Natural PEARL swimming pond membranes are the most efficient in their class: whether it is a biological pool, a swimming pond or a natural pool, the Natural PEARL membrane is perfectly suited for use in natural waters and offers a unique bathing experience immersed in nature. Thanks to their extraordinary reflective properties, Natural PEARL swimming pond membranes offer a natural shine. Thanks to a specific surface treatment, the Natural PEARL range is particularly easy to clean. Biofilm removal is easy. The Natural PEARL membrane not only impresses with its natural appearance: it also ensures high UV resistance, slowing down the premature aging of the membrane. And the ease of installation perfectly complements the exceptional properties of this reinforced membrane.

Unique reflection effect | UV stabilized | Biocide-free | Easy to clean | Easy to weld

Width 1.65 m Thickness 1.6 mm Roll length 25 m Package 8 Rolls per pallet





**Slate Grey** 

Ref. No. 💆 2001140

Ref. No. 🔁 2001141

Available in stock

**Dark Green** 



# **Natural SUPRA**

### Reinforced membrane with special coated surface

Natural SUPRA reinforced membrane guarantees the pleasure of an authentic swim in the middle of nature. This membrane has a special treatment that is easy to clean, and its specific surface finish protects against premature aging, thus increasing its lifespan.

UV stabilized | Biocide-free | Easy to clean | Easy to weld

Thickness 1.5 mm Roll length 25 m Width 2.00 m Package 8 Rolls per pallet



Available in stock

# **Natural Classic**







### Reinforced pond membrane

Natural Classic is a reinforced membrane for coating swimming ponds or natural pools. This waterproofing membrane is particularly resistant to external influences and has an exceptional longevity. This reinforced membrane, tested according to EN 71-3 consists of ultra-pure raw materials, as well as Natural PEARL and Natural SUPRA, which are among the most health-friendly membranes on the natural swimming pool market. Natural Classic also stands out from a sanitary point of view, unlike other competing products, since it emits the lowest level of fume emission during welding, thus preserving the health of installers.

### UV stabilized | Biocide-free | Easy to clean | Easy to weld

Package 12 Rolls per pallet Thickness 1.5 mm Roll length 25 m Width 2.00 m



### Green/Black

Ref. No. 💆 2000366



Note: Our membranes for natural pools and swimming ponds are exclusively designed for the waterproofing of pools operating without a chlorine disinfection system.

# Natural Classic Non-Slip







### Non-slip reinforced membrane

In addition to their exceptional designs, the safety of steps in natural pools and swimming pools is a priority. The non-slip Natural Classic reinforced membrane ensures high access security, especially at stairs and various areas around the natural pool. Manufactured in accordance with regulations according to EN 71-3, the non-slip membrane not only offers comfort and a pleasant touch, but also guarantees the utmost safety, whether walking or sitting.

### Special embossing surface structure | UV stabilized | Biocide-free | Easy to clean | Easy to weld

Thickness 1.9 mm Roll length 10 m Width 1.65 m Package 15 Rolls per pallet



### Green/Black

Ref. No. 2000920

<sup>\*</sup> Only available while stocks last




# General information about maintenance and servicing

- The membranes of natural pools and swimming pools of the ELBE Natural Surface® range are suitable for natural water treatment (by filtration for example).
- Regular maintenance preserves water quality (e.g., by sucking leaves and pollen).
- Before entering the pool, it is recommended to remove makeup and take a shower to get rid of any sunscreen (Preservation of the biological balance of the water).
- Easy and environmentally friendly cleaning without chlorine-based products.
- Cleaning with soft cloths or sponges (do not use hard brushes or pressure washers!).
- Easy winter maintenance (e.g., with the installation of a net tarpaulin to retain the leaves)

## More tips for servicing?

You will find further information in our product datasheets.

The proper use and treatment of our products is the responsibility of the installer. For further information, we recommend that you refer to the guidelines of the "Research Society for Landscape Development and Landscape Construction e.V.": recommendations and guidelines for the planning, construction, maintenance, and operation of outdoor





# Product characteristics

PRODUCT FEATURES	elite Superior pools.	PEARL	ISLAND DREAMS Your beach at home.	Royal LUXUIY POOK	Pool Passion	SUPRA	SUPRA print	Classic	BORDER Made in Germany
TECHNICHAL FEATURES									
Approved for public pools (KSW)	√ best option		<b>~</b>			<b>~</b>		<b>~</b>	
Manufactured according to EN 15836-2	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	
UV resistance	++++	+++	+++	+++	+++	+++	+++	++	+++++
Chlorine resistance	++++	++	++	++	++	++	++	+	+++++
Scratch resistance	+++	++	++	++	++	++	+++	+	++++
Non-Slip	<b>~</b>		<b>~</b>					<b>~</b>	
HEALTH AND ENVIRONME	HEALTH AND ENVIRONMENT								
EN 71-3 – kidsfriendly	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	
Phthalate free baby and kidsfriendly	<b>~</b>								
Lowest fume emission during welding	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>
SURFACE AND CLEANING	7	1	1		1	1	1	1	1
Surface easy to clean	++++	++	++	++	++	++	++	+	+++++
Stain resistant	++++	++	++	++	++	++	++	+	+++++
Printed designs		<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>		<b>~</b>		<b>~</b>
3D structure surface			<b>~</b>	<b>~</b>	<b>~</b>				
WARRANTIES			1		1		1	1	1
Permissible water temperature	35 °C	33 °C	33 °C	33 °C	33 °C	33 °C	33 °C	32 °C	35 °C
Warranty watertightness	15 years	15 years	15 years	15 years	15 years	15 years	15 years	15 years	
Warranty stain resistance	5 years								5 years
Warranty chlorine resistance	5 years								5 years

Please refer to the technical data sheets for detailed information on specific Item.



# Product characteristics

PRODUCT FEATURES	Natural PEARL	Natural SUPRA	Natural Classic
APPLICATIONS			
Swimming ponds, natural ponds	<b>~</b>	<b>~</b>	<b>✓</b>
(Artifical) ponds and lakes	<b>3</b>	<b>~</b>	<b>✓</b>
Irrigation basins, fire protection ponds, rainwater retention reservoirs			<b>✓</b>
TECHNICAL FEATURES			
Reinforced (high strength and dimensional stability)	<b>✓</b>	<b>~</b>	<b>V</b>
Coated surface	<b>✓</b>	<b>✓</b>	
UV stability	<b>y</b>	<b>~</b>	<b>~</b>
Cold and weather resistance	<b>V</b>	<b>~</b>	<b>~</b>
Non-Slip	T I		<b>~</b>
HEALTH AND ENVIRONMENT			
EN 71-3 – kidsfriendly	<b>▼</b>	<b>~</b>	<b>~</b>
Non-toxic for fish and plants	<b>9</b>	<b>~</b>	<b>~</b>
Lowest fume emission during welding	+++	+++	+++
SURFACE AND CLEANING			
Surface easy to clean	+++	+++	+
Stain resistant	+++	+++	+
Less biofilm	<b>V</b>	<b>~</b>	
Printed designs	<b>→</b>		
WARRANTIES	'		
Warranty watertightness	15 years	15 years	10 years

### **Accessories**

### For professional installation of our swimming pool, natural pool and swimming pond membranes

Our ELBE Pool Surface® membranes are suitable for indoor and outdoor pool coverings, regardless of the shape or size of the pool. This applies to new constructions, to the renovation of existing pools made of different concrete, masonry, wood, steel, aluminum, polyester supports as well as for earthen pools fixed on slopes up to 60  $^{\circ}$ .

Our ELBE Natural Surface® membranes are ideal for waterproofing natural pools, swimming ponds and natural pools, easy and quick to install on any surface and support. Note, however, the importance of the right accessory during the installation, guaranteeing a perfect result.

### **ELBE liquid PVC**

(Delivery only in full Package units)

Content **950 ml per can** Package 6 cans per box



We recommend the application of ELBE liquid PVC to ensure sealing and take care of the aesthetic appearance of the weld seam. However, this product does not replace the hot air welding quality of reinforced membranes. It also drastically reduces dirt deposits at the weld seam. It should be noted that all ELBE liquid PVCs, with the exception of green, dark green and slate grey, contain biocides and can therefore only be limited in their use in natural swimming pools. The viscosity can be improved with the addition of acetone.

Our liquid PVCs match the colors of our membranes and are recommended as follows:

### Suitable for: Classic, SUPRA, ISLAND DREAMS, PEARL, Royal, pure

Color Ref. No.	<b>Sand</b> 2100056	<b>Light Blue</b> 2100053	Adriatic Blue 2100048	<b>Navy Blue</b> 2100246	Turquoise 2100049	<b>Lagoon</b> 2100274
Color Ref. No.	Light Grey 2100046	Dark Grey 2100154	<b>Black</b> 2100190	<b>White</b> 2100054	Transparent 2100055	
	Suitable for: elite®					
Color Ref. No.	Arctic White 2100393	<b>Sand Beach</b> 2100394	<b>Blue Sky</b> 2100395	<b>Deep Sea</b> 2100396	<b>Grey Rock</b> 2100403	Black Stone 2100536

### Suitable for: Natural PEARL, Natural SUPRA, Natural Classic

Color	Slate Grey	Dark Green	Green
Ref. No.	2100537	2100538	2100215

### **Bottle for liquid PVC**

Content 500 ml Package from 1 pc

Ref. No. 2100085



### Coated metal sheets and profiles

Thickness 1.2 mm



<sup>\*</sup> Available on request

### **Protective fleece**

Polyester fleece 300 g/m<sup>2</sup>,  $1.5 \text{ m} \times 50 \text{ m}$ 

DIN 4102 B2 (drillable), White

Thickness 1.5 mm

6 Rolls per pallet Package Ref. No. 2100358





**Polyester fleece**  $300 \text{ g/m}^2$ ,  $2 \text{ m} \times 50 \text{ m}$ DIN 4102 B2 (drillable), White

Thickness 1.5 mm

Package 6 Rolls per pallet Ref. No. 2100061

### Fleece adhesive

Content 5 kg Package 1 unit Ref. No. 2100397



# Mounting and fixing parts

### Fastener rivets short

Dimensions 4.8 mm × 20.3 mm 12 / 48 packs per box Package

Content per 200 pcs Ref. No. 2100275





### Fastener rivets long

Dimensions 4.8 mm × 35 mm Package 12 packs per box Content per 100 pcs Ref. No. 2100382

### Rigid plastic profile\* White, vertical

Lenath 2 m from 1 pc Package 2100286 Ref. No.





### Rigid plastic profile\* White, horizontal

Lenath 2 m Package from 1 pc 2100387 Ref. No.

### **Liner locking stripe**\* White

Length 30 m

10 Rolls per box Package Ref. No. 2100285





### Welding stripe 1.5 mm

Dimensions  $9 \text{ mm} \times 25 \text{ m}$ Package 10 Rolls per box Ref. No. 2100352

### **Underlayer welding stripe** 1.5 mm

Dimensions 15 cm × 25 m Package from 1 Roll Ref. No. 2100799





### **ULTIMATE BORDER™** fixing tape\*

Dimensions  $50 \text{ mm} \times 50 \text{ m}$ Package from 1 Roll 2100419 Ref. No. Please refer to the installation guidelines

### Contact glue Köralit F 143

Content 700 g

Package 6 pcs per pack 2100042 Ref. No.





### Cold welding agent THF

1000 ml Content Package 6 pcs per pack 2100039 Ref. No.

### Marking accessories

### Marking lines Black

Dimensions  $1.5\,\mathrm{mm} \times 25\,\mathrm{m} \times 25\,\mathrm{cm}$ 

Package from 1 Roll Ref. No. 2100271



<sup>\*</sup> Only available while stocks last

### A CONCENTRATE OF EFFICIENCY THE ESSENTIALS OF THE INSTALLATION FOR PROFESSIONALS GATHERED IN A SINGLE SESSION

## **Training Center**

### Premium quality requires premium installation

Going pro means learning from the pros! We offer ad hoc training sessions at our state-of-the-art training center in Coswig, Germany. Here, you or your customers will receive from our experts all the essential skills and knowledge for a professional installation of our reinforced membranes. On this occasion, you will also have the chance to visit the factory and learn more about the manufacture of our membranes. In order to optimize the quality of our premium teaching and guarantee sustainable competence, the number of participants is limited to 8 people per course. At the end of your training session, your participation and success will be validated by the delivery of an official ELBE certified installer certificate.

#### Schedule

Day 1

Arrival until 8.00 am Individual arrival of the participants and greeting, presenting the schedule

8.30 am Theoretical instruction: presentation Elbtal Plastics GmbH & Co. KG, product presentation ELBE Pool Surface®

reinforced swimming pool membranes and accessories basic operations when installing, factory tour

11.15 am Practical instruction: welding equipment and required tools, simple seam, T-seam

1.00 pm

2.00 pm - 5.30 pm Practical instruction: corners

Day 2

8.00 am Theoretical instruction: straight stairs, installation of the fittings

9.30 am Practical instruction: straight stairs

1.00 pm Lunch break

2.00 pm - 5.30 pm Practical instruction: straight stairs, Non-Slip, installation of the fittings with the membrane

Day 3

8.00 am Practical instruction: finalization straight stairs, clarification of open issues

10.00 am Theoretical instruction: roman steps, free form pool

ma 00.1 Lunch break

2.00 pm - 5.30 pm Practical instruction: crossover wall to roman steps

Day 4

8.00 am Practical instruction: roman steps

10.00 am Theoretical instruction: welding technique T-seam, overflow gutter, professional installation of ISLAND DREAMS

and Royal reinforced pool membranes

ma 00.1

2.00 pm Practical instruction: welding technique T-seam, overlapping welding embossed swimming pool membranes

3.30 pm Answering open questions, certificate handover

4.00 pm Approval / end of course

More information and dates on: www.ELBEpools.com Please send your registration to: info@elbtal-plastics.de If you have questions, call us: +49 3523 5330-201











## Marketing-communication support & samples

Do you have questions that we haven't answered yet? We will be happy to provide you with further information. You will find your ELBE Pool Surface® partner and customer service at the following address: www.elbepools.com/contact/

**Note:** Details of available languages in our brochures refer to **digital versions**.

Would you like to know in which languages the printed brochures are available? Do not hesitate to contact us.

### Catalogues and Brochures







### Consumer Brochure #1363

Complete presentation of the **ELBE** Pool Surface® range for private pools, with illustrative visuals.

Available only in digital version.

Format: DIN A5

Languages: DE|EN|FR|ES|PL|RU

### Product Catalogue #1370

General presentation of the **ELBE Pool** Surface® and ELBE Natural Surface® products, with brief description of colors, article codes and package.

Format: DIN A4

Languages: DE|EN|FR|IT|ES|PL|RU



### Commercial Brochure #1360

Complete presentation of the **ELBE Pool Surface®** range for public pools and communities, illustrated with atmospheric photos.

Available only in digital version.

Format: DIN A5 Languages: DE EN

### **Technical Brochures**



### Installation Manual #1371

Step-by-step explanations of the installation of **ELBE Pool Surface®** reinforced membranes. Text and illustrative photos.

Format: DIN A4 Languages: DE | EN | ES



### **Installation Manual ULTIMATE BORDER™ #1406**

Explanations, step by step, of the installation of the **ULTIMATE BORDER™** friezes. Text and illustrative photos.

Format: DIN A4 Languages: DE | EN | IT



POOL SURFACE | MADE IN GERMANY

### **Maintenance Guide** #1364

Details and instructions for maintaining **ELBE Pool Surface**® reinforced membranes. Text and illustrative photos.

Format: DIN A6

Languages: DE|EN|ES|FR|IT|RU





### elite® #1365

Complete presentation of elite®, detailed arguments concerning the many advantages and guarantee of this product.

With photos and color samples.

Format: DIN A4

Languages: DE | EN | ES | FR | IT | RU



### ISLAND DREAMS #1366

Complete presentation of the ISLAND DREAMS range, with photos and color samples.

Format: DIN A4 Language: no text



### **PEARL** #1408

Complete presentation of the PEARL range, with photos and color samples.

Format: DIN A4 Language: no text



### Royal #1409

Complete presentation of the Royal range, with photos and color samples.

Format: DIN A4 Language: no text



### **ULTIMATE BORDER™ #1373**

Full presentation of ULTIMATE BORDER™, detailed arguments about the many advantages and guarantee of this product.

With photos and color samples.

Format: DIN A4

Languages: DE | EN | ES | FR | IT | RU



pure #1433

Illustrated with color samples.

Format: DIN A4 Language: EN

### Membrane collections of pool and pond membranes



Classic #1369



SUPRA #1368

**Pool membranes ELBE Pool Surface®** 



Natural pool and swimming pond membranes

ELBE Natural Surface® #1367

Dimensions: 9.5 x 15 cm | Language: EN

### Catalogues and Brochures



### Product Catalogue #1414

Contains the complete range of ELBE Natural Surface®. as well as general product information, article numbers and miscellaneous information.

Format: DIN A4

Languages: DE | EN | FR | PL



### **Brochure #1415/16**

Illustrated with samples and photos from the Natural PEARL and Natural SUPRA range of natural pools and swimming pools.

NATURAL SURFACE | MADE IN GERMANY

Format: DIN A4

Languages: DE | EN | FR





