





Index


Reinforced swimming pool membranes

	pure	6
	ISLAND DREAMS	8
	elite® smooth	10
	elite® motion	12
	PEARL	14
	SUPRA PRINT	16
	SUPRA	18
	CLASSIC	20
	NON-SLIP	22
No	atural pool and swimming pond membranes	
	General information about maintenance and care	24
	NATURAL PEARL	26
	NATURAL SUPRA	28
	NATURAL CLASSIC	30
Pro	oduct characteristics	
	ELBE Pool Surface®	32
	ELBE Natural Surface®	33
Ac	cessories	
	Liquid PVC	34
	Bottle for liquid PVC	35
	Coated metal sheets and profiles	35
	Protective fleece	35
	Mounting and fixing parts	36
Inf	ormation	
	Training center	37
	Marketing-communication support & samples	38





POOL SURFACE | MADE IN GERMANY





High-quality, reinforced swimming pool membranes with printed, embossed and refined 3D surface

Colors, shapes and textures of natural stones and vibrant exposed concrete structures harmonize perfectly with a natural environment and provide the purest swimming experience. The calm and softly textured colors create the magic of either a turquoise lagoon, an urban oasis, or a dark blue mountain lake in untouched nature.

Easy installation with the head-to-head welding technique as well as lowest fume emission during installation, round off the features of pure.

Thickness	1.8 mm
Width	1.65 m
Roll length	21 m
Package	6 Rolls per pallet













IDEAL FOR HEAD-TO-HEAD WELDING WITH UNDERLAYER WELDING STRIPE





pure Terra Sand Ref. No. 🗗 2001265





pure Ocean Grey Ref. No. 🔁 2001266






pure Urban Grey Ref. No. ② 2001273





pure Mountain Blue Ref. No. ☑ 2001328






pure Indian Marble
Ref. No. 🖾 2001344





pure Sand Stone
Ref. No. 2001347





High-quality, reinforced swimming pool membranes with printed, embossed, and finished 3D surface

The feeling of having fine sandy beach under your feet and magical watercolors that can only be found in the Caribbean or in breathtaking reef landscapes - ISLAND DREAMS swimming pool membranes add an unique island feeling to any swimming pool.

Thanks to the non-slip approved 3D surface, they are perfect for pools with beach entry, stairs, and other anti-slip areas. The high-quality finish makes them especially resistant to chlorine, UV radiation and stains.

Thickness	2.0 mm
Width	1.60 m
Roll length	20 m
Package	6 Rolls per pallet



















ISLAND Santorini [765] Ref. No. ② 2001176













Phthalate-free, unicolor, and reinforced swimming pool membranes with exclusive finished surface

Crystal-clear watercolors, perfect surfaces and maximum health protection transform any pool into a 5-star pool. The contribution of elite® reinforced pool membranes, extremely durable and resistant to aging, is proven day in day out, especially by their extreme resistance to UV radiation and the intensive use of sunscreens. Therefore, they are also ideal for public pools, leisure facilities, and hotel pools.

Thanks to their innovative surface formulation, they are easy to clean, prevent dirt deposits at the waterline and they are extra resistant to chlorine, UV radiation and microorganisms.

All colors are also available in a slip resistant version with a special rice grain groove. Alternatively, in addition to their anti-slip properties, non-slip tread protection membranes create interesting color contrasts on stairs, slopes, and entrance areas (see page 22).

Thickness	1.5 mm
Width	1.65 m 2.00 m
Roll length	25 m Non-Slip 10 m
Package	8 Rolls per pallet















[elite® Non-Slip]





elite® Non-Slip [603] Ref. No. 2 2001076 – 1.65 m



elite® Non-Slip [179] Ref. No. ☑ 2001078 – 1.65 m



elite® Blue Sky [602] Ref. No. ② 2001069 – 1.65 m Ref. No. ② 2001118 – 2.00 m






elite® Arctic White [180] Ref. No. ② 2001071 – 1.65 m Ref. No. ② 2001117 – 2.00 m

elite® **Non-Slip** [180] Ref. No. ② 2001079 – 1.65 m



elite® Non-Slip [798] Ref. No. ② 2001080 – 1.65 m













Reinforced swimming pool membranes with specially refined, unicolor 3D surface

With elite® motion, the world's most popular pool membranes from the ELBE Pool Surface® portfolio have received a stylish update. They combine the outstanding, functional surface features of the elite® product family with an exclusive 3D embossing.

The softly textured 3D surface of this pool membrane ensures a relaxed swimming experience. In addition, elite® motion meets the highest non-slip requirement, which means that the entire pool can be lined with the pleasantly gentle elite® motion pool membranes in a non-slip manner.

More pool feeling, impossible to find!

Thickness	1.8 mm
Width	1.65 m
Roll length	21 m
Package	6 Rolls per pallet















elite® motion Deep Sea [603] Ref. No. ② 2001368





elite® motion Sand Beach [179] Ref. No. ② 2001366





elite® motion Blue Sky [602] Ref. No. ② 2001367





elite® motion Arctic White [180] Ref. No. ☑ 2001365





elite® motion Grey Rock [798] Ref. No. ② 2001369





elite® motion Black Stone [799] Ref. No. ② 2001370





Reinforced swimming pool membranes with refined, light-reflecting surface

For true pool fans, there is hardly anything more beautiful than the sight of glistening water in their refreshing refuge. The specially refined, reflective surfaces of PEARL pool membranes enhance this effect and conjure up a unique atmosphere.

But PEARL also leaves nothing to be desired in terms of functionality. Thanks to the high-quality surface finish, all color variants are UV, chlorine, and stain resistant as well as easy to clean.


Thickness	1.6 mm
Width	1.65 m
Roll length	25 m
Package	8 Rolls per pallet











PEARL Black [920/21] Ref. No. ☑ 2000776





PEARL Blue [920/22] Ref. No. ☑ 2000777





















SUPRA PRINT

Premium Line

Reinforced swimming pool membranes with refined surface

The selection of printed decors and the excellent surface features make SUPRA Print the perfect pool membrane for leisure pools, pool landscapes and private pools with high demands on appearance and functionality.

The reinforced pool membranes are antimicrobial and, thanks to the refined surface, resistant to stains, UV radiation and chlorine over the long term.


Thickness	1.5 mm
Width	1.65 m
Roll length	25 m
Package	8 Rolls per pallet












SUPRA Blue Mosaic [1123/01] Ref. No. ② 2001177






SUPRA Grey Mosaic [1123/04] Ref. No. ② 2001190





SUPRA Blue Marble [920/20] Ref. No. ☑ 2001191





SUPRA

Premium Line



SPECIAL COATED SURFACE



UV RESISTANT



CHLORINE RESISTANT



STAIN RESISTANT



EASY TO CLEAN

Reinforced swimming pool membranes with refined surface

With good reason, SUPRA swimming pool membranes are an integral part of the product range. The comprehensive color palette of unicolored decors allows a great deal of leeway in designing the pool landscape, and the classic colors blend in perfectly with the desired ambience.

Of course, the unicolored swimming pool membranes are also characterized by their chlorine and UV stability. The high-quality surface finish also ensures easy cleaning and additional protection against stains and discoloration.

Thickness 1.5 mm

Width 1.65 m | 2.00 m

Roll length 25 m

Package 8 Rolls per pallet











SUPRA Dove Blue [632] Ref. No. ② 2001338 – 1.65 m





SUPRA Night Blue [633] Ref. No. ② 2001340 – 1.65 m



SUPRA Sand [153]





SUPRA Light Blue [687] Ref. No. ② 2000052 – 1.65 m | ② 2000053 – 2.00 m



SUPRA Adriatic Blue [604]

Ref. No. ② 2000410 – 1.65 m | ② 2000409 – 2.00 m



SUPRA Light Grey [765] Ref. No. ② 2000961 – 1.65 m | ② 2001074 – 2.00 m



SUPRA Dark Grey [782]

Ref. No. ② 2000786 – 1.65 m | ② 2000910 – 2.00 m



SUPRA White [104]

Ref. No. 🖸 2000049 – 1.65 m | 🖸 2000048 – 2.00 m

CLASSICStandard Line





CHLORINE RESISTANT



EASY TO CLEAN

Reinforced swimming pool membranes

The unicolored CLASSIC swimming pool membranes have all the features for a high-quality and hard-wearing pool liner.

As an all-rounder, the reinforced and tear-resistant swimming pool membranes are used worldwide not only in all types of indoor and outdoor pools, regardless of size and shape, but also in exclusive private pools.

CLASSIC pool membranes are UV and chlorine resistant, and resistant to cold and weathering as well, thanks to their antimicrobial properties, do not give fungi and bacteria a chance.

Thickness 1.5 mm

Width 1.65 m | 2.00 m

Roll length 25 m

Package 8 Rolls per pallet









Classic Adriatic Blue [604] Ref. No. ② 2000061 – 1.65 m | ② 2000063 – 2.00 m



Classic Turquoise [500]

Ref. No. ② 2000057 – 1.65 m | ② 2000058 – 2.00 m



Classic Sand [153]





Classic Light Blue [687]

Ref. No. 🔁 2000403 – 1.65 m | 🔁 2000404 – 2.00 m





Classic Dark Grey [782]

Ref. No. ② 2000529 – 1.65 m | ② 2000528 – 2.00 m



Classic Black [809]

Ref. No. 2000579 – 1.65 m





NON-SLIP

Reinforced anti-slip tread protection membranes

These membranes were specially developed and offer high safety especially in wet areas, for bare feet, for both in outdoor and indoor pools.

Whether on steps, stairs, walk-throughs or children's paddling pools, the ribbed embossing of the surface ensures a safe and pleasant feeling both underfoot and when sitting down.

Another advantage: The membranes are excellent for welding.

Thickness	1.9 mm
Width	1.65 m
Roll length	10 m
Package	15 Rolls per pallet













Non-Slip Adriatic Blue [604] Ref. No. ② 2000772









Non-Slip Night Blue [633] Ref. No. **②** 2001342



Non-\$lip Light Grey [765] Ref. No. ② 2000767








Non-Slip Light Blue [687] Ref. No. **②** 2000768





NATURAL SURFACE | MADE IN GERMANY



NATURAL PEARL

Reinforced swimming pond membranes with refined, light-reflecting surface

Mysterious colors and glittering water surfaces: The UV-resistant and durable Natural PEARL swimming pond membranes enchant with a special atmosphere.

Their printed surfaces provide extraordinary light reflections and give the pool a vibrant, natural character. Thanks to their high-quality formula, pools with Natural PEARL linings are harmless to the health of humans and animals and are also child's play to clean. Easy installation and minimal fume emission during welding perfectly round off the features of these reinforced swimming pond membranes.

Thickness	1.6 mm
Width	1.65 m
Roll length	25 m
Package	8 Rolls per pallet












Please note: Our membranes for natural pools and swimming ponds are exclusively for the waterproofing of pools in which no chemical disinfectants based on chlorine or similar products are used.





NATURAL PEARL Dark Green [578] Ref. No. ② 2001141





NATURAL PEARL Slate Grey [702] Ref. No. ② 2001140



NATURAL SUPRA

Reinforced swimming pond membranes with refined surface

Natural SUPRA pool liners conjure up a special flair in any bio pool. Thanks to the natural color palette, the watercolors range from classic blue to turquoise and jade to mysterious, dark green tones, depending on the light intensity.

Like all reinforced swimming pond liners in the ELBE Natural Surface® portfolio, Natural SUPRA pond membranes are extremely durable and tear-resistant as well as resistant to cold.

Thanks to their formula, they are harmless to the health of all living creatures. A protective coating on the surfaces prevents biofilm buildup and keeps them from unsightly staining and discoloration. In addition, thanks to its exceptional properties, cleaning is much easier and saves time.

Thickness	1.5 mm
Width	2.00 m
Roll length	25 m
Package	8 Rolls per pallet










Please note: Our membranes for natural pools and swimming ponds are exclusively for the waterproofing of pools in which no chemical disinfectants based on chlorine or similar products are used.



NATURAL SUPRA Dark Green [578]






NATURAL SUPRA Slate Grey [702] Ref. No. ② 2001137





NATURAL SUPRA Light Grey [765] Ref. No. ② 2001264





NATURAL SUPRA Sand [153] Ref. No. ② 2001209





NATURAL CLASSIC

Reinforced swimming pond membranes

Like all ELBE swimming pond membranes, Natural CLASSIC products support a pool environment that is harmless to humans, animals, and plants alike. These membranes are made from the purest raw materials and do not contain biocides.

The highly durable, 100% waterproof and UV-resistant Natural CLASSIC waterproofing membranes are suitable for lining bio pools, swimming ponds, garden ponds, artificial lakes, fish tank liners and artificial watercourses. Another plus point: these membranes have the lowest fume emission in welding.

Thickness	1.5 mm				
Width	2.00 m				
Roll length	25 m				
Package	12 Rolls per pallet				









Please note: Our membranes for natural pools and swimming ponds are exclusively for the waterproofing of pools in which no chemical disinfectants based on chlorine or similar products are used.



Product characteristics

PRODUCT FEATU	JRES	elite	elite	PEARL	ISLAND DREAMS	POOL Passion	SUPRA	SUPRA PRINT	NON- SLIP	CLASSIC
TECHNICHAL FEATURES										
Approved for public pools (KSW)		~		~	✓		~	~	~	~
Manufactured according to European standard for swimming pools		•	/	✓	~	~	~	~	~	~
UV resistance		++	++	+++	+++	+++	+++	+++	++	++
Chlorine resistance		++	++	++	++	++	++	++	+	+
Scratch resistance		+-	++	++	++	++	++	+++	+	+
Non-Slip	4	✓	~		~	~			~	
	'	HE	ALTH AND	ENVIRO	NMENT					
EN 71-3 – kidsfriendly	EN 71-3	\	/	~	~	~	~	~	~	✓
Phthalate free baby and kidsfriendly		✓								
Lowest fume emission during welding		•	/	~	~	✓	~	~	~	✓
		S	URFACE A	ND CLEA	NING					
Easy to clean		++	++	++	++	++	++	++	+	+
Stain resistant		++	++	++	++	++	++	++	+	+
Printed designs				~	~	✓		~		
3D structure surface	1		~		~	✓			~	
WARRANTIES										
Recommended maximum water temperature		35 ℃ 33 ℃		33 °C	33 °C	33 °C	33 °C	33 °C	32 °C	32 °C
Warranty watertightness		15 years								
Warranty stain resistance		5 ye	ears							
Warranty chlorine resistance		5 years								

Please refer to the technical data sheets for detailed information on specific Item.



Product characteristics

PRODUCT FEATURES		NATURAL PEARL	NATURAL SUPRA	NATURAL CLASSIC			
APPLICATIONS							
Swimming ponds, natural ponds		~	~	~			
(Artifical) ponds and lakes		~	✓	~			
Irrigation basins, fire protection ponds, rainwater retention reservoirs				✓			
		TECHNICAL FEATURE	S				
Reinforced (high strength and dimensional stability)		~	~	✓			
Coated surface		~	~				
UV stability		✓	~	~			
Cold and weather resistance		✓	~	~			
	HE	EALTH AND ENVIRONN	MENT				
EN 71-3 – kidsfriendly	EN 71-3	~	~	✓			
Non-toxic for fish and plants		~	~	~			
Lowest fume emission during welding		✓	~	✓			
	S	SURFACE AND CLEANI	NG				
Easy to clean		++	++	+			
Stain resistant		++	++	+			
Less biofilm		~	✓				
Printed designs		✓					
WARRANTIES							
Warranty watertightness		15 years	15 years	10 years			

Accessories

For professional installation of our swimming pool, natural pool and swimming pond membranes

Our **ELBE Pool Surface**® membranes are suitable for indoor and outdoor pool coverings, regardless of the shape or size of the pool. This applies to new constructions, to the renovation of existing pools made of different concrete, masonry, wood, steel, aluminum, polyester supports as well as for earthen pools fixed on slopes up to 60°.

Our **ELBE Natural Surface**® membranes are ideal for waterproofing natural pools, swimming ponds and natural pools, easy and quick to install on any surface and support. Note, however, the importance of the right accessory during the installation, guaranteeing a perfect result.

ELBE liquid PVC

(Delivery only in full package units)

Content 950 ml per can

Package 6 cans per box



We recommend the application of **ELBE liquid PVC** to ensure sealing and take care of the aesthetic appearance of the weld seam. However, this product does not replace the hot air welding quality of reinforced membranes. It also drastically reduces dirt deposits at the weld seam. It should be noted that all **ELBE liquid PVCs**, with the exception of green, dark green and slate grey, contain biocides and can therefore only be limited in their use in natural swimming pools. The viscosity can be improved with the addition of acetone.

Our liquid PVCs match the colors of our membranes and are recommended as follows:

Suitable for: CLASSIC, SUPRA, ISLAND DREAMS, PEARL, pure

Color	Sand [153]	Light Blue [687]	Adriatic Blue [60	04] Dove Blue [632]	Night Blue [633]
NEW Ref. No.	2000858	2000864	2000862	2001345	2001346
PREV. Ref. No.	2100056	2100053	2100048		
Color	Turquoise [500]	Lagoon [623]			
NEW Ref. No.	2000859	2000957	_		
PREV. Ref. No.	2100049	2100274			
Color	Light Grey [765]	Dark Grey [782]	Black [809]	White [104]	Transparent [027]
NEW Ref. No.	2000865	2000866	2000867	2000857	2000856
PREV. Ref. No.	2100046	2100154	2100190	2100054	2100055

Suitable for: elite®

Color	Arctic White [180]	Sand Beach [179]	Blue Sky [602]	Deep Sea [603]	Grey Rock [798]	Black Stone [799]
NEW Ref. No.	2001090	2001091	2001089	2001088	2001092	2001132
PREV. Ref. No.	2100393	2100394	2100395	2100396	2100403	2100536

Suitable for: NATURAL PEARL, NATURAL SUPRA, NATURAL CLASSIC

Color	Slate Grey [702]	Dark Green [578]	Green [546]
NEW Ref. No.	2001143	2001142	2000860
PREV. Ref. No.	2100537	2100538	2100215

Coated metal sheets and profiles

Thickness 1.2 mm



	Sheet	Sheet stainless steel V2A	Exterior angle	Interior angle	Strip
Color	Blue	Blue	Blue	Blue	Blue
Dimensions	1000 × 2000 mm	1000 × 2000 mm	50 × 50 × 2000 mm	$50 \times 50 \times 2000 \text{mm}$	50 × 2000 mm
Package	1 Pallet = 30 Pcs	1 Pallet = 30 Pcs	10 Pcs	10 Pcs	10 Pcs
Ref. No.	2001313	2100346	2001310	2001311	2001312

Bottle for liquid PVC

Content 500 ml Package for 1 Pc Ref. No. 2100085



Fleece adhesive

Content 5 kg
Package 1 Unit
Ref. No. 2100397



Protective fleece

Polyester fleece 300 g/m², $1.5 \text{ m} \times 50 \text{ m}$

DIN 4102 B2, drillable, White

Thickness 2 mm

Package 6 Rolls per pallet

Ref. No. 2100358

Polyester fleece 300 g/m^2 , $2 \text{ m} \times 50 \text{ m}$

DIN 4102 B2, drillable, White

Thickness 2 mm

Package 6 Rolls per pallet

Ref. No. 2100061



Polyester fleece drill- & screw-resistant, light green

Thickness 2 mm

Package 6 Rolls per pallet

Ref. No. 2001349

Antibacterial 300 g/m², 2 m \times 50 m

Polyester fleece drill- & screw-resistant, light green

Thickness 2 mm

Package 6 Rolls per pallet

Ref. No. 2001348





Mounting and fixing parts

Fastener rivets short

Dimensions $4.8 \text{ mm} \times 20.3 \text{ mm}$ Package 12 / 48 Packs per box

Content per 200 Pcs Ref. No. 2100275



Fastener rivets long

Dimensions 4.8 mm × 35 mm

Package 12 Packs per box

Content per 100 Pcs

Ref. No. 2100382



Rigid plastic profile* White, vertical

Length 2 m
Package from 1 Pc
Ref. No. 2100286



Rigid plastic profile* White, horizontal

Length 2 m
Package from 1 Pc
Ref. No. 2100387



Liner locking stripe* White

Length 30 m

Package 10 Rolls per box

Ref. No. 2100285



Welding stripe

Dimensions $9 \text{ mm} \times 25 \text{ m}$

Thickness 1.5 mm

Package 10 Rolls per box

Ref. No. 2001317



Underlayer welding stripe

 $\begin{array}{ll} \mbox{Dimensions} & 15\mbox{ cm}\times 25\mbox{ m} \\ \mbox{Thickness} & 1.5\mbox{ mm} \\ \mbox{Package} & \mbox{from 1 Roll} \\ \mbox{Ref. No.} & 2001318 \end{array}$



Marking lines Black

 $\begin{array}{lll} \mbox{Dimensions} & 25\mbox{ m} \times 25\mbox{ cm} \\ \mbox{Thickness} & 1.5\mbox{ mm} \\ \mbox{Package} & \mbox{from 1 Roll} \\ \mbox{Ref. No.} & 2001319 \end{array}$



ELBE Themo Glue

Content 4.5 kg
Package from 1 pack
Ref. No. 2001329



Cold welding agent THF

Content 1000 ml

Package 6 Pcs per pack Ref. No. 2100039



^{*} Available on request

A CONCENTRATE OF EFFICIENCY THE ESSENTIALS OF THE INSTALLATION FOR PROFESSIONALS GATHERED IN A SINGLE SESSION

Training Center

Premium quality requires premium installation

Going pro means learning from the pros! We offer ad hoc training sessions at our state-of-the-art training center in Coswig, Germany. Here, you or your customers will receive from our experts all the essential skills and knowledge for a professional installation of our reinforced membranes. On this occasion, you will also have the chance to visit the factory and learn more about the manufacture of our membranes. In order to optimize the quality of our premium teaching and guarantee sustainable competence, the number of participants is limited to 8 people per course. At the end of your training session, your participation and success will be validated by the delivery of an official ELBE certified installer certificate.



More information and dates on: www.ELBEpools.com

Please send your registration to: trainings@elbtal-plastics.de

If you have questions, call us:

+49 3523 5330-0

The following materials are to be brought along:

Own work clothes, safety shoes, knee pads, possibly safety gloves

ELBE Pool Surface® training course
General information:

Course duration: 4 days

Monday until Thursday 8.00 am until ca. 5.30 pm

Max. number

of participants: 8 Persons per course Language: German, English

Location

Elbtal Plastics GmbH & Co. KG Grenzstr. 9 | 01640 Coswig | Germany

Marketing-communication support & samples

Do you have questions that we haven't answered yet? We will be happy to provide you with further information. You will find your **ELBE Pool Surface®** partner and customer service at the following address: www.ELBEpools.com/contact/

Note: Details of available languages in our brochures refer to **digital versions**.

Would you like to know in which languages the printed brochures are available? Do not hesitate to contact us.

Catalogues and Brochures







Consumer Brochure #2200037

Complete presentation of the **ELBE Pool Surface®** range for private pools, with illustrative visuals.

Available only in digital version.

Format: DIN A5

Language: DE|EN|FR|ES|PL|RU

Product Catalogue #2200008

General presentation of the ELBE Pool Surface® and ELBE Natural Surface® products, with brief description of colors, article codes and package.

Format: DIN A4

Language: DE|EN|FR|ES|IT|PL|RU



Commercial Brochure #2200038

Complete presentation of the **ELBE Pool Surface®** range for public pools and communities, illustrated with atmospheric photos. Available only in digital version.

Format: DIN A5 Language: DE|EN

Technical Brochures







Maintenance Guide #2200023

Details and instructions for maintaining **ELBE Pool Surface®** reinforced membranes.

Text and illustrative photos.

Format: DIN A6

Languages: DE|EN|FR|ES|IT|PL|RU

Installation Manual #2200021

Step-by-step explanations of the installation of **ELBE Pool Surface®** reinforced membranes.
Text and illustrative photos.

Format: DIN A4 Language: DE|EN|ES

Samples Brochures





elite® #2200014

Complete presentation of elite®, detailed arguments concerning the many advantages and guarantee of this product. With photos and color samples.

Format: DIN A4 Language: DE&EN



ISLAND DREAMS #2200015

Complete presentation of the ISLAND DREAMS range, with photos and color samples.

Format: DIN A4 Language: no text



Pool membranes collections **ELBE Pool Surface®**

Dimensions: 9.5 x 15 cm Language: EN



Classic #2200011



PEARL #2200016

Complete presentation of the PEARL range, with photos and color samples.

Format: DIN A4 Language: no text



pure #2200019

Illustrated with color samples.

Format: DIN A4 Language: EN



Catalogues and Brochures





Product Catalogue #2200010

Contains the complete range of **ELBE Natural** Surface®, as well as general product information, article numbers and miscellaneous information.

Format: DIN A4 Language: DE|EN|FR|PL



Brochure #2200020

Illustrated with samples and photos from the Natural PEARL and Natural SUPRA range of natural pools and swimming pools.

Format: DIN A4 Language: DE|EN|FR



membranes collection

Dimensions: 9.5 x 15 cm Language: EN



ELBE Natural Surface® #2200013



